

Subway Architecture Design in Seoul Calls for GCP Products

Seoul Subway utilizes PREPRUFE® 300R and BITUTHENE® 3000 to solve waterproofing issue

Project Seoul Subway Line 9

Client Seoul Subway

Main Contractor Chung Suk Engineering

Consultant Global Specifications Consultant

GCP Solutions PREPRUFE® 300R pre-applied waterproofing, BITUTHENE® 3000 waterproofing





Project Profile

Extending major rail line

Seoul, South Korea is home to more than 11 million people. To cater to the transport needs of its mushrooming population, the city extended its subway network and added a new line that is 25.5km long with 25 stations. Seoul Subway Line 9 links Gimpo Airport in western Seoul to the Gangnam business district in southern Seoul.

Delivering positive/blind side waterproofing

A major transfer point of Line 9 Section 1 is Dangsan Station. An underground station, it sits underneath a roadway in the old city center of Seoul. Due to its location within the business district, the tunnel construction space is confined, which presented challenges for waterproofing design.

Kim Jae Hyuk, vice president of Chung Suk Engineering, explained the challenges the architectural team faced. "The diaphragm wall was designed as the soil retention system in most parts of this project. The greatest concern was to ensure positive/blind side waterproofing application for this continuous wall system.

S. J. Oh, then global specifications consultant at GCP Korea, explained why a fully bonded system is critical for positive/blind side waterproofing. "When structures are constructed below ground, they are subject to water pressure. In the case of positive waterproofing, the water pressure will be coming externally against the membrane on the structural foundation. When waterproofing membranes are not fully bonded to the structure, all it takes is a single leakage to cause water ingress and extensive damage."

"When waterproofing membranes are not fully bonded to the structure, all it takes is a single leakage to cause water ingress and extensive damage."

Optimizing waterproofing of rapid transit system

Working with Chung Suk Engineering to gain an understanding of the project requirements, the team at GCP put together a waterproofing solution proposal to address those concerns. "We considered all the project requirements and proposed a waterproofing system that included PREPRUFE®300R waterproofing membrane for the substructure, BITUTHENE®3000 waterproofing membrane for above ground slabs and vertical walls (cut and cover portion), and Servipak®3 as protection board system," explained Oh.

Question on spec? Consult our Design Advantage team

When the Chung Suk Engineering team visited the mass rapid transit projects construction site, the fast and easy installation of the PREPRUFE®waterproofing membrane system was also evident. PREPRUFE®was applied on wet concrete and was immediately trafficable after installation, which was a tremendous aid to the construction schedule.



Blue360sm Product Performance Advantage.

Because every project, large or small, deserves the best level of protection.

"The fast and easy installation of the PREPRUFE® waterproofing membrane system was also evident."

gcpat.com | North America Customer Service: +1 (877) 423 6491

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Suite 400, Alpharetta, GA 30009, USA

GCP Canada, Inc., 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6

This document is only current as of the last updated date stated below and is valid only for use in the United States. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.com. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.